

# Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

## 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier(s): **BPI No Fog™**

Product code(s): 50300.

1.2 Relevant Identified Uses of the substance or mixture and uses advised against:

Use: To protect lenses from fogging.

Uses advised against: No data

1.3 Details of the supplier of the safety data sheet:

Brain Power Inc.; 4470 S.W. 74<sup>th</sup> Ave.; Miami, Florida ; USA 33155.

1.4 Emergency Telephone Number:

Telephone: 0013052644465 Fax: 0013052641467

Information department: 001 305 264 4465

Emergency contact: 001 305 264 4465 (x364)

---

## 2. Hazards identification

2.1 Classification of the substance or mixture according to Regulation EC 1272/2008 (CLP):

Highly flammable liquid and vapor (H225)

Causes serious eye irritation (H319).

2.2 GHS Label elements (EC) 1272/2008:



Pictogram(s): “Flame” (GHS02)



“Exclamation Point” (GHS07)

Signal Word: Danger.

Contains: Sodium 2-(methyleoleoylamino) ethane-1-sulphonate;  
Ethanol;  
Methanol.

Hazard Statement(s): Highly flammable liquid and vapor (H225)  
Causes serious eye irritation (H319).

Precautionary Statement(s): Keep away from heat/sparks/open flames/hot surfaces – No smoking (P 210). Use only in a well ventilated area (P 271). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P 280). Avoid electrical equipment (P 241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P 243). ; Store in a well ventilated place; Keep cool (P403 +P 235). Store locked up (P405). Avoid breathing vapors (P261). Wash thoroughly after handling (P264). Use only in well ventilated areas (P271). Take off contaminated clothing and wash before reuse (P362). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P 280). If on skin: remove all contaminated clothing; rinse skin with water (P303+P361+P353). If exposed or concerned, get medical advice/attention (P308+313). If in eyes, rinse cautiously with water for several minutes; remove contact lenses if present and easy to do; continue rinsing (P305+P351+P338). If eye irritation persists, get medical advice (P337+P313). If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing

# Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

(P304+P340). Call a poison center or physician if you feel unwell (P312).  
In case of fire, use water fog, dry chemical, carbon dioxide, or alcohol type  
foam for extinction (P 370+P 378). Keep container tightly closed (P 233).  
Store locked up (P405). Dispose of contents/container in accordance with  
local / national / international regulations (P501).

2.3 May cause skin irritation.

---

### 3. Composition / information on ingredients

#### 3.1 Substance:

Chemical name:  
CAS-Reg.No:  
EC-No:  
EINECS-No:  
Further information:

#### 3.2 Mixture:

Description: Mix of surfactants in water and alcohols.

Chemical name: Sodium 2-(methyleoleoylamino) ethane-1-sulphonate  
Synonym: Sodium-N-Methyl-N-Oleyl Taurate  
CAS-Reg.No: 137-20-2  
EC-No: 205-285-7  
EINECS-No:  
Hazards: Eye irritant 2 (H319).  
Concentration: less than 10%

Chemical name: Ethanol  
Synonym: Ethyl alcohol  
CAS-Reg.No: 64-17-5  
EC-No: 200-578-6  
EINECS-No: 603-002-00-5  
Hazards: Flam. Liq. 2 (H225).  
Concentration: less than 20%

Chemical name: Methanol  
Synonym: not available  
CAS-Reg.No: 67-56-1  
EC-No: 200-659-6  
EINECS-No: 603-001-00-X  
Hazards: Acute Tox. 3 (H311); Flam. Liq. 2 (H225).  
Concentration: less than 1%

Ingredients at concentrations not known to be hazardous:

Content: more than 70%

Further information: Other ingredients not at concentrations known to be hazardous.

---

### 4. First-aid measures

#### 4.1 Description of first aid measures

General Advice : Call a Poison Control Center or doctor if you feel unwell (P312).  
In case of accident or if you feel unwell seek medical advice immediately.  
Show this safety data sheet to the doctor.

Inhalation : Avoid breathing vapors (P261). If inhaled, remove victim to fresh air and  
keep at rest in a position comfortable for breathing (P304+P340).

Skin contact : If on skin: wash with plenty of soap and water (P302+P352). Flush  
exposed area well with water for at least 15 minutes. If skin irritation  
occurs: get medical advice.

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

- Eye contact : If in eyes, rinse cautiously with water for several minutes; remove contact lenses if present and easy to do; continue rinsing (P305+P351+P338). If eye irritation persists, get medical advice. (P337+P313).
- Ingestion : Call a poison center or physician if you feel unwell (P312). Show the container, safety data sheet or label.
- 4.2 Most important symptoms and effects, both acute and delayed  
The most important known symptoms and effects are described in the labeling (see section 2.2 and/or section 11).
- 4.3 Indications of any immediate medical attention and special treatment needed  
See section 2.2 .
- 

### 5. Fire-fighting measures

- 5.1 Suitable extinguishing media : In case of fire, use water fog, dry chemical, carbon dioxide, or alcohol type foam for extinction (P 370+P 378).
- Unsuitable extinguishing media: No data
- 5.2 Exposure hazards: Causes serious eye irritation (H319) ; May cause drowsiness or dizziness (H336). Avoid breathing vapors (P261). Decomposes to oxides of carbon and nitrogen.
- 5.3 Protective equipment / advice for fire-fighters: Wear self-contained breathing apparatus with protective clothing to avoid personal contact.
- 

### 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures : Avoid breathing vapors (P261). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P280). For major spills wear a NIOSH or CEN approved respirator.
- 6.2 Environmental precautions : Soak up all spills with inert absorbent material. Place in closed container for proper waste disposal.
- 6.3 Methods and materials for containment and cleaning up: Soak up all spills with inert absorbent material. Place in closed container for proper waste disposal.
- 6.4 Reference to other sections : See Section 4 and 5.2
- 

### 7. Handling and storage

- 7.1 Precautions for Safe Handling: Use only in a well ventilated area (P 271). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P 280). Avoid breathing vapors (P261). Wash thoroughly after handling (P264). Keep away from heat/sparks/open flames/hot surfaces – No smoking (P 210). Use explosion proof electrical equipment (P 241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P 243). Avoid eye and skin contact.
- 7.2 Conditions for Safe Storage, including any incompatibilities: Stable on storage under normal conditions. Avoid oxidizing and reducing agents. Store in a well ventilated place; Keep container tightly closed; Keep cool (P403+P233+P 235). Store locked up (P405).
- 7.3 Specific End Use: To protect lenses from fogging.
- 

### 8. Exposure controls and personal protection

- 8.1 Control parameters: OSHA TWA 1,900 mg/m3 for ethanol component.

# Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

8.2 Exposure control: Handle in accordance with good industrial hygiene and safety practices. Keep away from heat/sparks/open flames/hot surfaces – No smoking (P 210). Avoid all personal contact. Wear appropriate safety equipment. Wash hands before breaks and at the end of workday.

Personal protective equipment :  
Respiratory protection : Avoid breathing vapors (P261). Where risk assessment shows air purifying respirators are appropriate, use a NIOSH or CEN approved respirator for organic chemicals. Ventilation: Local mechanical exhaust is recommended.  
Hand protection : Wear protective gloves (P280). Wear suitable impervious gloves (such as disposable latex).  
Eye / face protection : Wear eye protection (P280). Chemical resistant safety goggles are strongly recommended.  
Skin protection : Protective lab coat recommended. Wear suitable protective clothing and gloves.

---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Color: Clear liquid  
Odor: Mild alcohol odor

Changes in physical state

Boiling point/Boiling range (°C) : > 65°C (149F)  
Melting point/Freezing temperature (°C): no data available  
Flash point (°C) : >12°C (54F) (PMCC)  
Ignition temperature (°C) : no data available  
Autoignition : no data available  
Explosion hazard : no data available  
Flammability/Explosion limits (Vol.-%) : lower: N/D upper: N/D  
Vapour pressure (mbar) : no data available  
Vapor density (g/cm<sup>3</sup>) : no data available  
Bulk density (kg/m<sup>3</sup>) : ~1000  
Solubility in water : Miscible  
Solubility in other solvents : no data available  
pH-value : no data available  
Viscosity : no data available

9.2 Other safety information : no data available :

---

## 10. Stability and reactivity

10.1 Reactivity : Hazardous polymerization will not occur.  
10.2 Chemical Stability : Stable on storage under normal conditions.  
10.3 Possibility of Hazardous Reactions : None Known  
10.4 Conditions to avoid : Avoid ignition sources.  
10.5 Incompatible materials : Avoid oxidizing and reducing agents.  
10.6 Hazardous decomposition products : Decomposes to oxides of carbon and nitrogen.

---

## 11. Toxicological information

### 11.1 Information on toxicological effects:

Acute toxicity: See below

Specific symptoms in animal experiments: Oral LD50 7.06 g/kg (rat) for ethanol component.

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

Irritation effects: Causes serious eye irritation (H319).

Sensitization: no data available

Subacute to chronic toxicity: no data available

Carcinogenicity, mutagenicity, teratogenicity:

NTP? No

IARC Monographs? No.

OSHA Regulated? No

11.2 Other information: Overexposure may cause redness and irritation.

---

### 12. Ecological Information

12.1 Toxicity: LC50 - Pimephales promelas (fathead minnow) - 14.2 g/l - 96 hr for ethanol component.

12.2 Persistence and Degradability: No data.

12.3 Bioaccumulative Potential: no data available

12.4 Mobility in Soil: no data available

12.5 Results of PBT and vPvP Assessment: no data available

12.6 Other Adverse Effects : no data available

---

### 13. Disposal considerations

13.1 Waste Treatment Methods: Dispose of contents/container in accordance with Local / national / international regulations (P501).

---

### 14. Transport Information

14.1 UN Number: 1987

14.2 UN Proper Shipping Name: Alcohols, n.o.s.

14.3 Transport Hazard Class(es): 3

14.4 Packing Group: II

14.5 Environmental Hazards: No data.

14.6 Special precautions for user: None other than listed in sections 7 and 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: See above.

14.8 Information for each of the UN Model Regulations: See above.

IMDG/IMO: See above.

ADR: See above.

Air transport

ICAO/IATA-DGR Class: 3 UN/ID-No.: 1987 PG: II

Technical name of material: Alcohols, n.o.s.

Remarks: May be shipped as limited quantity.

Additional information: (US) DOT: See above.

---

### 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations / Legislation Specific for the Substance or Mixture:  
EC 1907/2006, 1272/2008, 830/2015

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 4 November, 2016

15.2 Chemical Safety Assessment :

Contains:

Danger! ; "Flame" (GHS02). "Exclamation Point" (GHS07).  
Ethanol (CAS. No. 64-17-5; EC No. 200-578-6);  
Sodium 2-(methyleoleoylamino) ethane-1-sulphonate (CAS No. 137-20-2; EC No. 205-285-7)  
Methanol (CAS No. 67-56-1; EC No. 200-659-6) (less than 1%)

Hazard statement: See section 2

Precautions: See section 2

15.3 Additional information:

TSCA listed ingredients. EC listed ingredients.

The following components are subject to reporting levels established by SARA Title III section 313:  
Methanol.

Warning: This product contains a chemical (Methanol) known to the State of California to cause birth defects or other reproductive harm.

---

## 16. Other Information

**NFPA Codes:** H: 1; F: 3; R: 0.

---

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. The safety data sheet only describes the products in aspect to their safety requirements. Recipients of our product must take responsibility for observing existing laws and regulations.